
















ENSCOROWAN									
	ENSCO DS-10	ENSCO DS-11 (formerly Atwood Advantage)	ENSCO DS-12 (formerly Atwood Achiever)	ENSCO DS-13 (formerly Atwood Admiral)	ENSCO DS-14 (formerly Atwood Archer)	Rowan Renaissance	Rowan Resolute	Rowan Reliance	Rowan Relentless
DESIGN	Samsung GF12000	DSME 12000 Double-Hull DP Drillship	DSME 12000 Double-Hull DP Drillship	DSME 12000 Double-Hull DP Drillship	DSME 12000 Double-Hull DP Drillship	GustoMSC P10,000	GustoMSC P10,000	GustoMSC P10,000	GustoMSC P10,000
YEAR BUILT	2015	2013	2013	Under Construction	Under Construction	2014	2014	2014	2015
WATER DEPTH - OPERATING - Outfitted to:	min - 1,000 feet max - 10,000 feet (outfitted to 10,000 feet)	min - 3,281 feet max - 12,000 feet (outfitted to 10,000 feet)	min - 3,281 feet max - 12,000 feet (outfitted to 10,000 feet)	min - 3,281 feet max - 12,000 feet (outfitted to 10,000 feet)	min - 3,281 feet max - 12,000 feet (outfitted to 10,000 feet)	min - 2,500 feet universally max - 12,000 feet (outfitted to 12,000 feet)	min - 2,500 feet universally max - 12,000 feet (outfitted to 12,000 feet)	min - 2,500 feet universally max - 12,000 feet (outfitted to 12,000 feet)	min - 2,500 feet universally max - 12,000 feet (outfitted to 12,000 feet)
WATER DEPTH - Upgrade	Can upgrade to max. - 12,000 feet	Can upgrade to max. - 12,000 feet	Can upgrade to max. - 12,000 feet	Can upgrade to max. - 12,000 feet	Can upgrade to max. - 12,000 feet	Outfitted to 12,000 feet	Outfitted to 12,000 feet	Outfitted to 12,000 feet	Outfitted to 12,000 feet
MOON POOL	41 ft. x 84 ft.	72.6 ft x 31.9 ft	72.6 ft x 31.9 ft	72.6 ft x 31.9 ft	72.6 ft x 31.9 ft	73.5 ft x 42 ft	73.5 ft x 42 ft	73.5 ft x 42 ft	73.5 ft x 42 ft
COLUMNS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
MAIN DECK AREA	3,600 sq. meters					470 ft x 118 ft	470 ft x 118 ft	470 ft x 118 ft	470 ft x 118 ft
MAX. VDL	22,000 tons	23,000 tons	23,000 tons	23,000 tons	23,000 tons	22,000 tons	22,000 tons	22,000 tons	22,000 tons
DRAWWORKS	(1) NOV Deco AHD-1250-9000 (1) NOV AHD-1000-6900 9,000 / 6,900 horsepower	(1) NOV AHD-1250 (1) NOV SSGD-1000-6000-48-82-10 9,000 / 6,900 horsepower	(1) NOV AHD-1250 (1) NOV SSGD-1000-6000-48-82-10 9,000 / 6,900 horsepower	(1) NOV AHD-1250 (1) NOV SSGD-1000-6000-48-82-10 9,000 / 6,900 horsepower	(1) NOV AHD-1250 (1) NOV SSGD-1000-6000-48-82-10 9,000 / 6,900 horsepower	(1) NOV AHD-1250-9000-70-100-10.5-FMM-NECLAC (1) NOV AHD-750-5750-63-82-10.5-CLAC 12,600 / 8,050 horsepower	(1) NOV AHD-1250-9000-70-100-10.5-FMM-NECLAC (1) NOV AHD-750-5750-63-82-10.5-CLAC 12,600 / 8,050 horsepower	(1) NOV AHD-1250-9000-70-100-10.5-FMM-NECLAC (1) NOV AHD-750-5750-63-82-10.5-CLAC 12,600 / 8,050 horsepower	(1) NOV AHD-1250-9000-70-100-10.5-FMM-NECLAC (1) NOV AHD-750-5750-63-82-10.5-CLAC 12,600 / 8,050 horsepower
DERRICK	(2) NOV 210'	NOV 210'	NOV 210'	NOV 210'	NOV 210'	NOV 210'	NOV 210'	NOV 210'	NOV 210'
Static Hook Load	2,500,000 lbs	2,500,000 lbs	2,500,000 lbs	2,500,000 lbs	2,500,000 lbs	main - 2,500,000 lbs aux - 1,500,000 lbs combined - 4,000,000	main - 2,500,000 lbs aux - 1,500,000 lbs combined - 4,000,000	main - 2,500,000 lbs aux - 1,500,000 lbs combined - 4,000,000	main - 2,500,000 lbs aux - 1,500,000 lbs combined - 4,000,000
TOP DRIVE	1250 ton (2) NOV TDX-1250	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDX-1000	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDX-1000	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDX-1000	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDX-1000	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDS-85A	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDS-85A	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDS-85A	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDS-85A
ROTARY TABLE	(1) NOV RST (75 1/2" main) (1) NOV RST (60 1/2" aux)	(1) NOV RST (75 1/2" main) (1) NOV RST (60 1/2" aux)	(1) NOV RST (75 1/2" main) (1) NOV RST (60 1/2" aux)	(1) NOV RST (75 1/2" main) (1) NOV RST (60 1/2" aux)	(1) NOV RST (75 1/2" main) (1) NOV RST (60 1/2" aux)	(1) NOV VBJ RST (75 1/2" main) (1) NOV VBJ RST (60 1/2" aux)	(1) NOV VBJ RST (75 1/2" main) (1) NOV VBJ RST (60 1/2" aux)	(1) NOV VBJ RST (75 1/2" main) (1) NOV VBJ RST (60 1/2" aux)	(1) NOV VBJ RST (75 1/2" main) (1) NOV VBJ RST (60 1/2" aux)
MUD PUMPS	4 ea NOV N14-P-220 (2,200hp) (space for 2 additional)	4 ea NOV N14-P-220 (2,200hp) 1 ea NOV 10-P-130 (1,300hp)	4 ea NOV N14-P-220 (2,200hp)	4 ea NOV N14-P-220 (2,200hp)	4 ea NOV N14-P-220 (2,200hp)	5 ea NOV 14-P-220 (2,200hp)	5 ea NOV 14-P-220 (2,200hp)	5 ea NOV 14-P-220 (2,200hp)	5 ea NOV 14-P-220 (2,200hp)
SHAPE SHAKERS	6 ea Brandt VSM 3000	8 ea NOV VSM-300	8 ea NOV VSM-300	8 ea NOV VSM-300	8 ea NOV VSM-300	8 ea NOV VSM-300	8 ea NOV VSM-300	8 ea NOV VSM-300	8 ea NOV VSM-300
DESANDER/ DESILTER / MUD CLEANER	NOV Brandt SR-3 3 x 12" hydrocyclones NOV Brandt SE-24 24 x 4" hydrocyclone None	(2) NOV VSM 300 20 x 4" hydrocyclones (3) NOV/Brandt DG-12 vacuum degassers	(2) NOV VSM 300 20 x 4" hydrocyclones (3) NOV/Brandt DG-12 vacuum degassers	(2) NOV VSM 300 20 x 4" hydrocyclones (3) NOV/Brandt DG-12 vacuum degassers	(2) NOV VSM 300 20 x 4" hydrocyclones (3) NOV/Brandt DG-12 vacuum degassers	Desander - (1) NOV Brandt Hydrocyclone 3 x 12" cones Desilter - (1) NOV Brandt Mud Cleaner - N/A Degasser - (2) Burgess Magna-Vac 1500	Desander - (1) NOV Brandt Hydrocyclone 3 x 12" cones Desilter - (1) NOV Brandt Mud Cleaner - N/A Degasser - (2) Burgess Magna-Vac 1500	Desander - (1) NOV Brandt Hydrocyclone 3 x 12" cones Desilter - (1) NOV Brandt Mud Cleaner - N/A Degasser - (2) Burgess Magna-Vac 1500	Desander - (1) NOV Brandt Hydrocyclone 3 x 12" cones Desilter - (1) NOV Brandt Mud Cleaner - N/A Degasser - (2) Burgess Magna-Vac 1500
LIQUID MUD CAPACITY	16,970 bbls	18,060 bbls	18,060 bbls	18,060 bbls	18,060 bbls	20,656 bbls	20,656 bbls	20,656 bbls	20,656 bbls
BULK MUD CAPACITY	24,150 cu. ft.	16,951 cu. ft.	16,951 cu. ft.	16,951 cu. ft.	16,951 cu. ft.	16,103 cu.ft.	16,103 cu.ft.	16,103 cu.ft.	16,103 cu.ft.
BULK CEMENT CAPACITY	26,800 cu. ft.	12,007 cu. ft.	12,007 cu. ft.	12,007 cu. ft.	12,007 cu. ft.	14,408 cu.ft.	14,408 cu.ft.	14,408 cu.ft.	14,408 cu.ft.
DIVERTER	NOV 75 1/2" / 500 psi	Hydril 75 1/2" / 500 psi	Hydril 75 1/2" / 500 psi	Vetco 75 1/2" / 720 psi	Vetco 75 1/2" / 720 psi	Cameron Type CSO 21.25" max bore / 500 psi	Cameron Type CSO 21.25" max bore / 500 psi	Cameron Type CSO 21.25" max bore / 500 psi	Cameron Type CSO 21.25" max bore / 500 psi
ANNULAR BOP LMRP	NOV Shaffer BOP Stack 2 Annulars 18 3/4" / 10,000 psi	GE/Hydril BOP Stack 2 Annulars 18 3/4" / 10,000 psi	GE/Hydril BOP Stack 2 Annulars 18 3/4" / 10,000 psi	GE/Hydril BOP Stack 2 Annulars 18 3/4" / 10,000 psi	GE/Hydril BOP Stack 2 Annulars 18 3/4" / 10,000 psi	(2) Hydril GX Dual Annulars 18 3/4" / 10,000 psi	(2) Hydril GX Dual Annulars 18 3/4" / 10,000 psi	(2) Hydril GX Dual Annulars 18 3/4" / 10,000 psi	(2) Hydril GX Dual Annulars 18 3/4" / 10,000 psi
HIGH PRESSURE BOP STACK	NOV Shaffer BOP Stack 7 Ram Cavities 18 3/4" / 15,000 psi	2 ea GE/Hydril BOP Stack 7 Ram Cavities 18 3/4" / 15,000 psi	2 ea GE/Hydril BOP Stack 7 Ram Cavities 18 3/4" / 15,000 psi	2 ea GE/Hydril BOP Stack 7 Ram Cavities 18 3/4" / 15,000 psi	2 ea GE/Hydril BOP Stack 7 Ram Cavities 18 3/4" / 15,000 psi	(2) Cameron TL BOP Stacks 7 Ram Cavities each 18 3/4" / 15,000 psi	(2) Cameron TL BOP Stacks 7 Ram Cavities each 18 3/4" / 15,000 psi	(2) Cameron TL BOP Stacks 7 Ram Cavities each 18 3/4" / 15,000 psi	(2) Cameron TL BOP Stacks 7 Ram Cavities each 18 3/4" / 15,000 psi
COMPENSATOR	N/A	NOV CMC/AHC-E-1500/2500 (main) NOV CMC/AHC-1000-2000-25 (auxiliary)	NOV CMC-E-1500/2500 NOV CNC-1000-2000-25	NOV CMC-E-1500/2500 NOV CNC-1000-2000-25	NOV CMC-E-1500/2500 NOV CNC-1000-2000-25	main - NOV CMC-1000-2500-25	main - NOV CMC-1000-2500-25	N/A	main - NOV CMC-1000-2500-25
THRUSTERS	6 ea Rolls Royce Azimuthing (fully retractable) 5.5 MW per thruster	6 ea Rolls Royce Azimuthing 5.5 MW per thruster	6 ea Rolls Royce Azimuthing 5.5 MW per thruster	6 ea Rolls Royce Azimuthing 5.5 MW per thruster	6 ea Rolls Royce Azimuthing 5.5 MW per thruster	(6) Rolls Royce 5,000 KW azimuth type, self retracting canister	(6) Rolls Royce 5,000 KW azimuth type, self retracting canister	(6) Rolls Royce 5,000 KW azimuth type, self retracting canister	(6) Rolls Royce 5,000 KW azimuth type, self retracting canister
MAIN ENGINE	6 ea 10,300 hp Wartsilla 16V32 Total HP 61,800	6 ea 9,051 hp HHI EMD Total HP 54,306	6 ea 9,051 hp HHI EMD Total HP 54,306	6 ea 9,051 hp HHI EMD Total HP 54,306	6 ea 9,051 hp HHI EMD Total HP 54,306	(6) ea. @ 10,728 hp HHI Himens 16H32 / 40V Total HP 64,368	(6) ea. @ 10,728 hp HHI Himens 16H32 / 40V Total HP 64,368	(6) ea. @ 10,728 hp HHI Himens 16H32 / 40V Total HP 64,368	(6) ea. @ 10,728 hp HHI Himens 16H32 / 40V Total HP 64,368
MAIN GENERATORS	ABB AC Generator	Siemens Hyundai AC Generator	Siemens Hyundai AC Generator	Siemens Hyundai AC Generator	Siemens Hyundai AC Generator	(6) ABB / HHI EES HAJ7 187-10P AC Generators	(6) ABB / HHI EES HAJ7 187-10P AC Generators	(6) ABB / HHI EES HAJ7 187-10P AC Generators	(6) ABB / HHI EES HAJ7 187-10P AC Generators
CRANES	2 ea NOV Hydraulic Offshore Knuckle Boom Cranes 1 ea NOV Lattice Boom Crane 1 ea NOV Hydraulic AHC Knuckle Boom Crane NOV Riser Gantry Crane	3 ea NOV Knuckle Boom Cranes (100mT ea) 1 ea NOV Active Heave Crane (165mT)	3 ea NOV Knuckle Boom Cranes 1 ea NOV Active Heave Crane	3 ea NOV Knuckle Boom Cranes 1 ea NOV Active Heave Crane	3 ea NOV Knuckle Boom Cranes 1 ea NOV Active Heave Crane	(3) NOV 100 MT Knuckle Boom Cranes (1) NOV 165 MT Active Heave Crane (1) 20 MT Provisional crane on poop deck	(3) NOV 100 MT Knuckle Boom Cranes (1) NOV 165 MT Active Heave Crane (1) 20 MT Provisional crane on poop deck	(3) NOV 100 MT Knuckle Boom Cranes (1) NOV 165 MT Active Heave Crane (1) 20 MT Provisional crane on poop deck	(3) NOV 100 MT Knuckle Boom Cranes (1) NOV 165 MT Active Heave Crane (1) 20 MT Provisional crane on poop deck
ACCOMMODATION	200 Persons	200 Persons	200 Persons	200 Persons	200 Persons	210 Persons	210 Persons	210 Persons	210 Persons
HELIDECK CAPACITY	EH101	S-61 / S-92 / EH101	S-61 / S-92 / EH101	S-61 / S-92 / EH101	S-61 / S-92 / EH101	S-61 N / S-92	S-61 N / S-92	S-61 N / S-92	S-61 N / S-92
HELIDECK SIZE	75 feet	74.8 feet	74.8 feet	74.8 feet	74.8 feet	72.2 feet	72.2 feet	72.2 feet	72.2 feet
WINCHES	N/A	N/A	N/A	N/A	N/A	(2) Rolls Royce electric anchor winches	(2) Rolls Royce electric anchor winches	(2) Rolls Royce electric anchor winches	(2) Rolls Royce electric anchor winches
DRILL PIPE	6 5/8" V150 range 3 6 5/8" V150 range 3 5 1/2" S135 range 3	5 7/8" V-150 uGPS55 range 3 6 5/8" V-150 uGPS65 range 3	5 7/8" V-150 range 3 6 5/8" V-150 range 3	5 7/8" V-150 range 3 6 5/8" V-150 range 3	5 7/8" V-150 range 3 6 5/8" V-150 range 3	5" S135 range 2 5 7/8" S135 range 3 6 5/8" S135 range 3 6 5/8" V150 range 3	5" S135 range 2 5 7/8" S135 range 3 6 5/8" S135 range 3 6 5/8" V150 range 3	5" S135 range 2 5 7/8" S135 range 3 6 5/8" S135 range 3 6 5/8" V150 range 3	5 7/8" S135 range 3 6 5/8" S135 range 3 6 5/8" V150 range 3
LANDING STRING	Contract Specific	V-150 R3 6-5/8 FH	V-150 R3 6-5/8 FH	Contract Specific	Contract Specific	6 5/8" UD165 slip proof	6 5/8" V150 slip proof	6 5/8" UD165 slip proof	6 5/8" V150 slip proof
RISER	Vetco 21"	Aker Solution Marine CLIP Riser	Aker Solution Marine CLIP Riser	Aker Solution Marine CLIP Riser	Aker Solution Marine CLIP Riser	Cameron Load King 21 1/4", 1" wall thickness throughout	Cameron Load King 21 1/4", 1" wall thickness throughout	Cameron Load King 21 1/4", 1" wall thickness throughout	Cameron Load King 21 1/4", 1" wall thickness throughout
Enscorowan BUSINESS UNIT (CURRENTLY OPERATING)	MEAAP	NSA	MEAAP	MEAAP shipyard (construction)	MEAAP shipyard (construction)	NSA	NSA	NSA	NSA

ENSCOROWAN															
DESIGN	F&G L-780 II	MLT 84-C	MLT 84-C Enhanced	Htachi K1032N	Htachi 300C	Htachi K1025N	MLT Super 116-C	MLT Super 116-C	MLT 82 SD-C	MLT 116-C	MLT 82-SD-C	MLT 116-C	Htachi 250-C	MLT 82-SD-C	MLT 150-88-C 'Gorilla'
YEAR BUILT	1982	1976	1976	1981	1982	1981	1999	2000	1981	1982	1982	1982	1982	1980	1987
LAST MAJOR UPGRADE	2004	2005	2004	2014	1995	2004	2011	N/A	2013	2006	2013	2003	2014	2014	2009
WATER DEPTH - OPERATING	Min. - 20 feet Max. - 300 feet	Min. - 25 feet Max. - 350 feet	Min. - 25 feet Max. - 400 feet	Min. - 25 feet Max. - 250 feet	Min. - 25 feet Max. - 225 feet	Min. - 25 feet Max. - 225 feet	Min. - 32 feet Max. - 350 feet	Min. - 16 feet Max. - 350 feet	Min. - 13 feet Max. - 230 feet	Min. - 22 feet Max. - 350 feet	Min. 15 feet Max. - 250 feet	Min. - 20 feet Max. - 210 feet	Min. - 13 feet Max. - 250 feet	Min. - 13 feet Max. - 250 feet	Min. - 13 feet Max. - 328 feet
LEG LENGTH	413'	511'	511'	388'	343'	343'	544'	411'	367'	477'	367'	343'	355'	367'	503'
SPUD CAN DIA.	39.66 ft	46'	46'	45'	45'	45'	46'	46'	46'	46'	46'	46'	46'	46'	65.8'
CANTILEVER REACH	50' x 24'	60' x 30' (70' with extensions)	60' x 30'	45' x 24'	45' (62' with extensions) x 24'	45' x 24'	70' x 30'	65' x 30'	50' x 24'	60' x 24'	40' (50' with extension) x 24'	45' x 24'	40' x 24'	47' x 24'	52' (60' with extensions) x 30'
MAX. VOL.	2,580 tons	3,792 tons	3,782 tons	4,382 tons	4,782 tons	3,935 tons	3,250 tons	3,750 tons	1,995 tons	4,234 tons	1,893 tons (Mid weather area)	3,510 tons	2,346 tons	2,371 tons	5,157 tons
DRAWWORKS	Cont. Emeco C2 2,000 horsepower	National 1625-DE 3,000 horsepower	National 1625-UE 3,000 horsepower	National 1625-UE 3,000 horsepower	National 1320-UE 2,000 horsepower	National 1320-UDBE 2,000 horsepower	National 1625-UDBE 3,000 horsepower	National 1625-UDBE 3,000 horsepower	National 1320-UE 2,000 horsepower	National E-3000 3,000 horsepower	National 1320-UE 2,000 horsepower	National 1320-UE 2,000 horsepower	National 1320-UE 2,000 horsepower	Cont. Emeco C-2 2,000 horsepower	National 1625-DE 3,000 horsepower
DERRICK	Dreco, 170' 1,036,000 lbs	Dreco 160' 1,500,000 lbs	National, 160' 1,500,000 lbs	Dreco 160' 1,500,000 lbs	Dreco 160' 1,500,000 lbs	Dreco 160' 1,500,000 lbs	Loadmaster 170' 1,500,000 lbs	Dreco 170' 1,500,000 lbs	Dreco 160' 1,000,000 lbs	National 160' 1,500,000 lbs	Superior 160' 1,000,000 lbs	Dreco 170' 1,500,000 lbs	Loadmaster 160' 1,000,000 lbs	Loadmaster 160' 1,000,000 lbs	Lee C Moore 160' 1,500,000 lbs
TOP DRIVE	650 Ton Varco TDS-4H	750 Ton Varco TDS-4H	650/750 ton Varco TDS-4H	500 ton Varco TDS-4H	500 ton Varco TDS-4H	500 ton Varco TDS-4H	750 TON Varco TDS-4H	750 TON Varco TDS-4H	Varco TDS-4H	750 ton Varco TDS-4H	650 ton Varco TDS-4H	500 ton Varco TDS-4H	500 ton Varco TDS-4H	500 ton Varco TDS-4H	750 ton Varco TDS-4H
ROTARY TABLE	Continental Emeco T-3750	National C-375	National C-375	National C-375	National C-375	National C-375	National D-495	National D-495	National C-375	National C-375	National C-375	National C-375	National C-375	National C-375	National D-495
MUD PUMPS	2 ea Continental Emeco FB-1600	3 ea National 12-P-160	3 ea National 12-P-160	3 ea National 12-P-160	3 ea National 12-P-160	3 ea National 12-P-160	3 ea National 14-P-220	3 ea NOV 14P-220	2 ea National 12-P-160	3 ea National 12-P-160	2 ea National 12-P-160	3 ea National 12-P-160	2 ea National 12-P-160	2 ea Emeco FB-1600	3 ea National 12-P-160
SHALE SHAKERS	4 ea Brandt VSM 300	4 ea Brandt VSM-300 Dual Deck Balanced Elliptical Motion	3 ea Derrick FLC 514	3 ea Brandt VSM 300, 1 x Brandt VSM Multi-size	4 ea Brandt VSM 300	4 ea Brandt VSM-300	4 ea Brandt King Cobra Venom	4 ea Brandt VSM 300 Balanced Elliptical Motion	3 ea Derrick 500 Series	3 ea Derrick FLC-514	3 ea Derrick 514 Flo-Line	4 each MI Swaco BEM-600	3 ea Brandt VSM 300	3 ea Brandt VSM 300	5 ea NOV Brandt VSM 300
DESANDER/DESILTER / MUD CLEANER	1 ea Brandt ATL 16/2 SST 2 x 14" cones Brandt ALT-16/2 SST 16 x 5" cones	1 Each Brandt VSM-300 24/3 Desilting Desanding Mud Cleaner	1 ea Derrick H-G Dryer - 20 x 4" / 3 x 10"	N/A	N/A	N/A	1 ea Brandt King Cobra Combination Desilter/Dryer - 1000 GPM, 16 X 4" Cones	1 ea Brandt LCM 3D-MC 3D-MC 1 ea Brandt LCM 3D-MC 3D-MC 1 ea Brandt LCM-3D-MC 3D-MC	1 ea Derrick High-G Dryer 20 x 4" cones 1 ea Derrick High-G Dryer CM-4-20 H-G Dryer - 20 x 4" / 3 x 10"	1 ea Derrick 3 x 10" cones	None	1 ea Derrick 2 x 10" cones 1 ea Derrick 20 x 4" cones	1 ea Derrick DSI 3 x 10" cones 1 ea Derrick D-RND-CM 20 x 4" cones	1 ea Brandt 20 x 4" cones	1 ea Brandt 20 x 4" cones
LIQUID MUD CAPACITY	2,300 bbls	2,550 bbls	1,868 bbls	4,120 bbls	4,200 bbls	4,267 bbls	2,500 bbls	4,478 bbls	1,545 bbls	1,689 bbls	1,693 bbls	1,834 bbls	1,701 bbls	1,589 bbls	2,399 bbls
BULK MUD CAPACITY	4,032 cu. ft	3,120 cu. ft	5,000 cu. ft	5,000 cu. ft	5,000 cu. ft	5,000 cu. ft	5,934 cu. ft	5,440 cu. ft.	4,000 cu. ft	3,468 cu. ft	3,850 cu. ft	5,050 cu. ft	4,000 cu. ft.	4,838 cu. ft.	8,500 cu. ft
BULK CEMENT CAPACITY	4,032 cu. ft	3,120 cu. ft	3,120 cu. ft	5,000 cu. ft	5,000 cu. ft	5,000 cu. ft	5,098 cu. ft	5,440 cu. ft.	4,981 cu. ft	3,468 cu. ft	3,850 cu. ft	4,200 cu. ft	4,000 cu. ft.	5,797 cu. ft.	8,500 cu. ft
DIVERTER	Hydri MSP 500 29 1/2" / 500 psi	KFDJ 37 1/2" / 2,000 psi	N/A	ABB Vetco KFDJ 36" / 2,000 psi	ABB Vetco KFDJ 36" / 2,000 psi	ABB Vetco KFDJ 36" / 2,000 psi	N/A	Vetco KFDJ-J-2000	Hydri MSP 21P" *2000	N/A	Workover	ABB Vetco KFDJ 36" / 2,000 psi	Hydri MSP 500 29-1/2"	30" Hydri MSP 1000	ABB Vetco KFDJ 47" / 2,000 PSI
ANNUAL BOP LOW PRESSURE	N/A	Shaffer Spherical 21-1/4" - 2,000 psi	Shaffer Spherical 21-1/4" - 2,000 psi	Hydri MSP 21-1/4" / 2,000 psi	Hydri MSP 21-1/4" / 2,000 psi	Hydri MSP 21-1/4" / 2,000 psi	Hydri MSP 21-1/4" / 2,000 psi	N/A	Shaffer 21 1/4" - 2,000 psi	Hydri MSP 21 1/4" / 2,000 psi	N/A	Shaffer 21 1/4" / 2,000 psi	Shaffer 21 1/4" / 2,000 psi	Shaffer 21 1/4" / 2,000 psi	Hydri MSP 21 1/4" / 2,000PSI
LOW PRESSURE BOP STACK	N/A	Shaffer Double 20 3/4" 3,000 psi	N/A	2 rams, Cameron 21-1/4" / 2,000 psi	2 rams, Cameron 21-1/4" / 2,000 psi	2 rams, Cameron 21 1/4" / 2,000 psi Fit with EXT Shear Ram	N/A	N/A	N/A	N/A	N/A	2 rams, Cameron 21 1/4" / 2,000 psi	N/A	N/A	2 rams, Cameron "U" 21 1/4" / 2,000PSI
ANNUAL BOP HIGH PRESSURE	Shaffer 13 5/8" / 5,000 psi	Shaffer 13 5/8" / 5,000 psi	Shaffer 13 5/8" / 5,000 psi	Hydri GX 13-5/8" / 5,000 psi	Hydri GX 13 5/8" / 5,000 psi	Hydri GX 13 5/8" / 5,000 psi	Shaffer Spherical 13-5/8" - 5000 psi	Shaffer Wedge Spherical 18 3/4" / 10,000 psi	Shaffer 13 5/8" 5,000 psi	Shaffer 13 5/8" - 5,000 psi	Shaffer 13 5/8" 5,000 psi	Shaffer 13 5/8" 5,000 psi	Shaffer 13 5/8" / 5,000 psi	Shaffer 13 5/8" / 5,000 psi	Hydri GX 13 5/8" / 5,000 psi
HIGH PRESSURE BOP STACK	CIW "U" 13 5/8" / 10,000 psi (1 double & 2 single)	2 x Cameron 13 5/8" / 10,000 psi	Cameron U-Type 13 5/8" / 10,000 psi	3 rams, Cameron 13 5/8" / 10,000 psi	3 rams, Cameron 13 5/8" / 10,000 psi	3 rams, Cameron 13 5/8" / 10,000 psi w/EXT Shear Ram	3 rams, Cameron 13-5/8" - 10,000 psi	Shaffer NXT 18 3/4" 15,000 psi (1 double & 2 singles) 3 cavity 26 1/2" x 3,000 psi Cameron	Cameron "U" 13 5/8" 10,000 psi	Cameron "U" 13 5/8" / 10,000 psi	Cameron "U" 13 5/8" 10,000 psi	3 rams, Cameron 13 5/8" / 10,000 psi	Cameron "U" 13 5/8" / 10,000 psi	Cameron "U" 13 5/8" / 10,000 psi	3 rams, Cameron 13 5/8" / 10,000 psi w FXT Shear Bonnet
MAIN ENGINE	3 ea 1650 HP EMD 12-645-E8 Total HP 4,950	3 ea 2,200 HP EMD 16-645-E8 Total HP 6,600	3 ea 2,200 HP EMD 16-645-E8 Total HP 6,600	5 ea 1,215 HP Cat D-399 1 x 2,150 HP Cat D-3516 B Total HP 8,225HP	5 x 1,215 HP Cat D-399 1 x 2,150HP CAT 3516C Total HP 8,225HP	5 ea 1,295 HP Cat D-3512 Total HP 6,405	4 ea 1855 HP CAT 3516-B Total HP 7,420	4 ea 2514 HP Cat 3606 Total HP 10,056	3 ea 1650 HP EMD MD12-645 E8 Total HP 4,950	4 ea 1,600 HP EMD 12-645-E8 Total HP 6,400	4 ea 1,238 HP EMD 12-V-645-E8 Total HP 4,950	2 ea EMD 12-645-E8B 2,500HP 1 ea EMD 12-645-B 1,650 HP Total HP 6,650	4 ea 1650 HP EMD 12-645-E8 Total HP 6,600	4 ea 1650 HP EMD 12-645-E8 Total HP 6,600	4 ea 2,100 HP EMD 16-567-EBDF Total HP 8,400
MAIN GENERATORS	EMD AB20-6	EMD AB-20-N6	EMD A20-6	5 ea 850 kW GE 1 x 1,525kW Kato	1 x 1,525kW Kato	5 ea 930 kW GE	4 ea 2,150 kW Caterpillar SR-4B	Kato	3 ea EMD AB20-6	EMD AB20-6	EMD AB20-6	3 ea 2,100 kW EMD	3 ea EMD AB20-6	EMD AB20-6	4 ea 1,647 kW Baylor
CRANES	2 ea Dreco Model 48DNS 120-1.5 Diesel/Hydraulic 40.3 mt Dynamic/52.55 mt Static @ 20.7 ft radius 6-part hoisting, Static Factor 1.33, Dynamic Factor 2.00	2 ea MLT PSM-120AS 24 ton	3 ea MLT PSM-120AS 50 Tons ea	1 x Liebherr MTC 1900 15T Aux Hoist, 60T Main Hoist	1 ea National OS215 1 ea 60 mt / 1 ea 39 mt	1 ea Liebherr MTC 1900 1 ea National OS-215 1 ea 60 mt / 1 ea 29 mt	3 ea MLT PCM-120SS 50 Tons ea	3 ea LeTourneau PCM120SS 50-Ton capacity	3 ea LeTourneau PCM-120AS Main 9770ns @ 60T Aux, 1570ns	3 ea MLT PCM-120AS 50 Tons ea	3 ea LeTourneau PCM-120 AS 45-Ton capacity	1 ea Dreco D48 Kingpost 2 ea MLT PCM-120	2 ea MLT PCM-120 AS 45-Ton capacity	2 ea MLT PCM-120 AS 45-Ton capacity	3 ea MLT PCM-350-SS 1 ea MLT PCM-120-SS 3 ea 60 tons / 1 ea 50 tons
ACCOMMODATION	108 Persons	108 Persons	82 Persons	98 Persons	98 Persons	90 Persons	83 Persons	100 Persons	96 Persons	75 Persons	102 Persons	90 Persons	100 Persons	100 Persons	106 Persons
HELIDECK CAPACITY	S-61	MI-172	S-61	S-61	S-61	S-61	S-61	S-61	S-61	S-61	S-61	S-61	S-61	S-61	S-61
HELIDECK SIZE	75 feet	83 feet	83 feet	84 feet	83 feet	73 feet	73 feet	70 feet	65'	65 feet	70 feet	70 feet	70 feet	83 feet	83 feet
WINCHES	none	4 ea	N/A	4 ea	4 ea	4 ea	N/A	2 ea	2 ea	N/A	4 ea	4 ea	N/A	N/A	N/A
DRILL PIPE	5" G-105 4" XT-59 2 3/8" G-105	5 1/2" HT55 HT 55 3 1/2" S-135	5" S-135	5 1/2" HT55 S-135 5" NC50 S-135 4" HT40 S-135	4" HT40 5" NC50 S-135 5 1/2" HT55 S-135	5 1/2" HT55 S-135 4" V029 S-135	5" S-135 19.5	5-7/8" S-135	4 ea Brohi RAWW-2050 460 KIPS @ 650/sec 2,500K x 3.5 sec	5 1/2" S-135 (HT-55)	2-3/8" G-105 4" CYX-105 5" G-105	5-1/2" HT55 S-135	5" G-105 HT50 4" CYX-105 XT39	5" G-105 HT50 4" CYX-105 XT39	5-1/2" FH VAM CDS, Range 3 S-135
PREVIOUS NAMES	Western Apollo III Loosbrook Galaxy Dual Rig 89	Perrod 67	Perrod 68	Dan Duke	Dan Earl	Ocean Benjamin Ross Explorer	Chiles Magellan	Chiles Coronado	Perrod 84	Perrod 87	Perrod 88	Perrod 92	Essex Perrod 96 Dual Rig 96	Keyes 250 Marine 250 Dual Rig 86	Transworld Rig 74 Mr. Mac West Omron
ENSCOROWAN BUSINESS UNIT (CURRENTLY OPERATING)	MEAAP	MEAAP	NSA	EUM	EUM	EUM	NSA	MEAAP	MEAAP	NSA	MEAAP	EUM	MEAAP	MEAAP	EUM

ENSCOROWAN															
DESIGN	KFELS Mod V-A	KFELS Mod V-A	KFELS MOD V-B	KFELS MOD V-B	KFELS Mod V-B "Bigfoot"	KFELS Mod V-B "Bigfoot"	KFELS Mod V-B "Bigfoot"	KFELS Mod V Super "B"	KFELS Mod V-B "Bigfoot"	ENSCO 111 (formerly Atwood Beacon)	ENSCO 112 (formerly Atwood Aurora)	ENSCO 113 (formerly Atwood Mako)	ENSCO 114 (formerly Atwood Manta)	ENSCO 115 (formerly Atwood Orca)	ENSCO 120
YEAR BUILT	2000	2002	2002	2002	2005	2006	2007	2008	2015	2003	2008	2012	2012	2013	2013
LAST MAJOR UPGRADE	2010	N/A	N/A	2010	N/A	N/A	2009	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
WATER DEPTH - OPERATING	Min. - 25 feet Max. - 400 feet	Min. - 25 feet Max. - 400 feet	Min. - 350 feet Max. - 350 feet	Min. - 20 feet Max. - 400 feet	Min. - 16 feet Max. - 400 feet	Min. - 16 feet Max. - 400 feet	Min. - 16 feet Max. - 400 feet	Min. - 50 feet Max. - 350 feet	Min. - 16 feet Max. - 400 feet	Min. - 16 feet Max. - 400 feet	Min. - 16 feet Max. - 400 feet	Min. - 15.4 feet Max. - 350 feet	Min. - 65 feet Max. - 400 feet	Min. - 65 feet Max. - 400 feet	Min. - 25 feet Max. - 400 feet
LEG LENGTH	540'	540'	517'	517'	517'	517'	517'	486'	517'	517'	517'	532'	532'	532'	525'
SPUD CAN DIA.	59.8'	59.8'	47.2'	47.2'	53'	53'	53'	52.42 R	53'	53'	47.2'	53.2'	55.4'	55.4'	59.67'
CANTILEVER REACH	70' x 30'	70' (76' with extensions) x 30'	70' x 30'	70' x 30'	70' x 398' (158' port / 19ft stbd)	70' x 30'	70' x 30'	70' x 30' (with skid-off capability)	70' x 30'	70'	72'	75'	75'	75'	80' x 32'
MAX. VOL.	6,429 tons	6,378 tons	4,012 tons	4,100 tons	4,469 tons	4,500 tons	4,500 tons	3,992 tons	4,500 tons	3,348 tons	2,672 tons	3,348 tons	3,348 tons	3,348 tons	7,150 tons
DRAWWORKS	National 1625 UDBE 3,000 horsepower	National 1625 UDBE 3,000 horsepower	National 1625 UDBE 3,000 horsepower	National 1625-UDBE 3,000 horsepower	Varco/ADS-10DT 3,000 horsepower	Varco/ADS-10DT 3,000 horsepower	Varco/ADS-10DT 3,000 horsepower	NOV SSGD-850-4600 3,000 horsepower	Varco/ADS-10DT 3,000 horsepower	NOI Emeco C3, Type II 3,300 horsepower	Lewco LDW 1500K-102 4,500 horsepower	NOVI ADS-10T 3,200 horsepower	NOVI ADS-10T 3,200 horsepower	NOVI ADS-10T 3,200 horsepower	NOV ADS-300 6,000 horsepower
DERRICK	Dreco 170' 1,500,000 lbs	Dreco 170' 1,500,000 lbs	Dreco 170' 1,500,000 lbs	Dreco 170' 1,500,000 lbs	MIL/Varco 160' 1,500,000 lbs	Woolslayer 160' 1,500,000 lbs	Woolslayer 160' 1,500,000 lbs	NOV 170' 2,000,000 lbs	Woolslayer 160' 1,500,000 lbs	Woolslayer 160' 1,500,000 lbs	Loadmaster 170' 1,500,000 lbs	Loadmaster 160' 1,500,000 lbs	Loadmaster 160' 1,500,000 lbs	Loadmaster 160' 1,500,000 lbs	NOV 210' 2,500,000 lbs
STATIC Hook Load	750 ton Varco TDS-4H	750 ton Varco TDS-4H	750 ton Varco TDS-4H	750 ton Varco TDS-4H	750 ton Varco TDS-4H	750 ton Varco TDS-4H	750 ton Varco TDS-4H	750 ton NOV HPS1000-25-AC	750 ton Varco TDS-4H	750 ton Varco TDS-4H	750 ton NOV TDS-4SA	750 ton NOV TDS-4SA	750 ton NOV TDS-4SA	750 ton NOV TDS-4SA	750 ton NOV TDS-4SA
TOP DRIVE	National D-495	National D-495	National D-495	National D-495	Varco/BJ RST 495	Varco/BJ RST 495	Varco/BJ RST 495	NOV D-495	NOV RST-495 (49.5")	NOV RST-495 (49.5")	Oilwell (49.5")	NOV (49.5")	NOV (49.5")	NOV (49.5")	NOV RST (60.12")
ROTARY TABLE	3 ea National 14-P-220	3 ea National 14-P-220	3 ea National 14-P-220	3 ea National 14-P-220	Lewco W-2215	Lewco W-2215	Lewco W-2215	NOV 14-P-220	NOV 14-P-220 HP AC	Lewco W-2215	Lewco W-2215	NOV 14-P-220 HP AC	NOV 14-P-220 HP AC	NOV 14-P-220 HP AC	NOV 14-P-220 HP AC
MUD PUMPS	3 ea x Brandt VSM-300	4 ea	4 ea	4 ea	4 ea	4 ea	4 ea	5 ea	4 ea	5 ea	5 ea	4 ea	4 ea	4 ea	4 ea
SHALE SHAKERS	1 ea x Brandt Multi Sizer	NOV Brandt VSM 300	NOV Brandt VSM 300	Alom shakers	NOV Brandt VSM 300	NOV Brandt VSM 300	NOV Brandt VSM 300	NOV Brandt VSM 300	NOV Brandt VSM 300	NOV Brandt VSM 300	Brandt LCM-3D	Brandt VSM 300	Brandt VSM 300	Brandt VSM 300	NOV Brandt VSM Multizer
DESANDER/DESILTER / MUD CLEANER	None	1 ea Derrick(DSI) Hi-G Driver - 3 x 10' cones 1 ea Derrick Hi-G Driver - 20 x 4" cones	1 ea Brandt LCM-3D	1 ea Brandt LCM-3D 4 x 12' cones 1 ea Brandt LCM-2D-CMC 32 x 4" cones Rig is in the process of de-commissioning and removing Desiliter and desander	3 x 12' cones 24 x 4" cones	3 x 12' cones 24 x 4" cones	3 x 12' cones 24 x 4" cones	2 x Brandt DG-12 Degassers N/A	3 x 12' cones 24 x 4" cones	3 x 12' cones 24 x 3" cones	4 x 12' cones 32 x 12' cones	2 x 12' cones 16 x 4" cones	2 x 12' cones 16 x 4" cones	2 x 12' cones 16 x 4" cones	3 x 12' cones 24 x 4" cones
LIQUID MUD CAPACITY	4,808 bbls	4,796 bbls	3,516 bbls	3,575 bbls	3,891 bbls	3,891 bbls	3,891 bbls	5,566 bbls	4,500 bbls	2,590 bbls (active)	5,056 bbls	4,150 bbls	4,150 bbls	4,150 bbls	7,500 bbls
BULK MUD CAPACITY	9,200 cu.ft	9,560 cu.ft	6,000 cu.ft	6,000 cu.ft	6,000 cu.ft	6,000 cu.ft	6,000 cu.ft	9,609 cu.ft	6,000 cu.ft	6,000 cu.ft	6,100 cu.ft	5,827 cu.ft	5,827 cu.ft	5,827 cu.ft	8,200 cu. ft.
BULK CEMENT CAPACITY	8,400 cu.ft	8,080 cu.ft	5,100 cu.ft	5,100 cu.ft	5,100 cu.ft	5,100 cu.ft	5,100 cu.ft	6,147 cu.ft	5,100 cu.ft	5,100 cu.ft	5,100 cu.ft	5,827 cu.ft	5,827 cu.ft	5,827 cu.ft	8,400 cu. ft.
DIVERTER	ABB Vetco KFDJ 47" / 2,000 PSI	ABB Vetco KFDJ 47" / 2,000 PSI	ABB Vetco KFDJ 49 1/2" / 500 psi	Shaffer Spherical 30" 1,000 psi Annular	ABB Vetco KFDJ 49 1/2" / 2,000 psi	ABB Vetco KFDJ 49 1/2" / 2,000 psi	ABB Vetco KFDJ 49 1/2" / 2,000 psi	ABB Vetco KFDJ 49 1/2" / 2,000 psi	GE Vetco Grey 49 1/2" / 500 psi	ABB Vetco Gray 49 1/2" / 500 psi	ABB Vetco Gray KFDJ 49 1/2" / 500 psi	ABB Vetco Gray KFDJ 47" / 500 psi	ABB Vetco Gray KFDJ 47" / 500 psi	ABB Vetco Gray KFDJ 47" / 500 psi	Cameron CF-B 49 1/2" / 1,000 psi
ANNULAR BOP LOW PRESSURE	None	None	N/A	None	N/A	N/A	N/A	N/A	N/A	Varco-Shaffer Spherical Annular BOP	N/A	N/A	N/A	N/A	N/A
LOW PRESSURE BOP STACK	None	None	N/A	None	N/A	N/A	N/A	N/A	N/A	Cameron Type 'U' Double Ram BOP 21 1/4" / 2,000 psi	N/A	N/A	N/A	N/A	N/A
ANNULAR BOP HIGH PRESSURE	Shaffer Spherical 18 3/4" / 10,000 psi	Shaffer Spherical 13 5/8" / 5,000 psi	Shaffer 13 5/8" 5,000 psi	Shaffer Spherical 18-3/4" / 5,000 Psi	Shaffer 18-3/4" 5,000 Psi	Shaffer 18 3/4" 5,000 psi	Cameron 13-5/8" 10,000 psi	Shaffer 18 3/4" 10,000 psi Wedge cover	Shaffer 18 3/4" / 10,000 psi	Shaffer 13 5/8" / 10,000 psi	Shaffer 18 3/4" / 10,000 psi	Hydri / GX 18 3/4" / 10,000 psi	Hydri / GX 18 3/4" / 10,000 psi	Hydri / GX 18 3/4" / 10,000 psi	Hydri GX 18 3/4" / 10,000 psi
HIGH PRESSURE BOP STACK	4 rams, Shaffer NXT	4 rams, Shaffer SDL	Cameron "U"	4 rams, Cameron	Shaffer	Varco SLX 18-3/4" 10,000 psi (2 double ram)	Cameron U	NOV Shaffer NXT 18 3/4" 15,000 psi (dbt & dbj) with 14" blind/shaver boosters	Shaffer	2 x Cameron Type 'U' Double Ram BOP	2 x Cameron Type 'TL' Double Ram BOP	2 x Hydri / MPL Double	2 x Hydri / MPL Double	2 x Hydri / MPL Double	Shaffer NXT
MAIN ENGINE	6 ea 1,855 HP Cat 3516-B	6 ea 1,855 HP Cat 3516-B	5 ea 1,855 HP Cat 3516-B	5 ea 1,855 HP Cat 3516-B	5 ea 1,855 HP Cat 3516-B	5 ea 1,855 HP Cat 3516-B	5 ea 1,855 HP Cat 3516-B	5 ea 2,450 HP Wartsila 6L26A2	5 ea 2,150 HP Cat 3516CHD	5 ea 1,855 HP Cat 3516B	5 ea 2,150 HP Cat 3516BHD	5 ea 2,150 HP Cat 3516CHD	5 ea 2,150 HP Cat 3516CHD	5 ea 2,150 HP Cat 3516CHD	6 ea 2,150 HP Caterpillar 3516CHD
MAIN GENERATORS	6 ea 2,150 KW CAT	6 ea 2,150 KW CAT	5 ea Cat SP4-B 2,150 KVA ea	5 ea 1,322 KW CAT	Cat SR4B	5 ea CAT SR4B 1,383 KW each	Cat	Leroy-Somer LSA56 VL8R 2500 KVA	5 ea KATO 1,500 KW	5 ea KATO 1,500 KW	5 ea KATO 1,720 KW	5 ea KATO 1,720 KW	5 ea KATO 1,720 KW	5 ea KATO 1,720 KW	6 ea 1,720 KW TSL Caterpillar
CRANES	3 ea Dreco 72 DNS	3 ea Dreco 72 DNS	3 ea Dreco DNS-48	3 ea Dreco D48 Kingpost	3 ea Favco 7.5	3 ea Favco 7.5	3 ea Favco 7.5	2 ea Seatrax S5624 1 ea Seatrax S7220	3 ea Favco	2 ea Seatrax 4828 1 ea Seatrax 6024	1 ea Letourneau 220 SS 2 ea LeTourneau 120 SS	3 ea Baker Marine BMC-2250	3 ea Baker Marine BMC-2250	3 ea Baker Marine BMC-2250	3 ea Seatrax TBD
ACCOMMODATION	120 Person	122 Persons	110 Persons	120 Person	120 Persons	112 Persons	120 Persons	120 Persons + 2 Slick Bay	140 Persons	112 Persons + 5 Slick Bay	110 Persons + 2 Slick Bay	150 Persons	150 Persons	150 Persons	150 Persons
HELIDECK CAPACITY	S-61	S-61	S-61 - 9.3 Tons	S-61	S-61, S-92, EC255	S-92	S-92	S-61 / S-92 / EC225	S-61N / S-92 / EH-101	S-61, S-92	S-61, S-92	S-61, S-92	S-61, S-92	S-61, S-92	S-61 / S-92
HELIDECK SIZE	75 feet	83 feet	75 feet	74 feet	74 feet	74 feet	74 feet	74 feet	74 feet	74 feet	72.8 feet	72.8 feet	72.8 feet	72.8 feet	73 feet
WINCHES	4 ea	4 ea	4 ea MLT - W1500	2 ea (Fwd) 2 ea (Aft)	4 ea	4 ea	foundations for winches provide	4 ea	4 ea	4 ea	N/A	4 ea	4 ea	4 ea	4 x 45 mt each
DRILL PIPE	5" NC50 5 1/2" HT55 S-135	5" NC50	20,000 ft. - 5 1/2" S-135 - R3 5,000 ft. - 3 1/2" S-135 - R2	5-1/2" HT55 S-135	5-1/2" S-135 HT-65 3-1/2" S-135 HT-38 2-7/8" S-135	5 1/2" S135 HT-65	5" S-135 NC-50 4" G105	5-7/8" S-35 XT-57 5" S-135 NC-50 4" S-135 XT39 and VK39	To be supplied	5" S-135 3 1/2" S-135	5 1/2" S-135	5 1/2" S-135 uGPD55	5 1/2" S-135 uGPD55	5 1/2" S-135	5 1/2" DP S-135 GPD55 5" DP S-135 XT-50 3.5" DP S-135 GPD33P
PREVIOUS NAMES	N/A	N/A	Chiles Discovery	Chiles Galileo	N/A	N/A	N/A	Ocean Shield	To be supplied	Atwood Beacon	Atwood Aurora	Atwood Mako	Atwood Manta	Atwood Orca	N/A
ENSCOROWAN BUSINESS UNIT (CURRENTLY OPERATING)	EUM	NSA	MEAAP	MEAAP	MEAAP	MEAAP	MEAAP	MEAAP	MEAAP	EUM	EUM	MEAAP	MEAAP	MEAAP	EUM

ENSCOROWAN																
DESIGN	KFELS Super "A"	KFELS Super "A"	KFELS Super "A"	Cameron Letourneau Super 116E	Cameron Letourneau Super 116E	LeTourneau Super 116E	LeTourneau Super 116E	LeTourneau Super 116E	LeTourneau 240-C	LeTourneau 240-C	LeTourneau Super 116E	LeTourneau Super 116E	Keppel FELS N-Class	Keppel FELS N-Class	Keppel FELS N-Class	
YEAR BUILT	2013	2013	2016	2016	2016	1998	2001	2001	2009	2012	2010	2010	2011	2011	2011	
LAST MAJOR UPGRADE	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
WATER DEPTH - OPERATING	Min. - 25 feet Max. - 400 feet	Min. - 25 feet Max. - 400 feet	Min. - 25 feet Max. - 400 feet	340ft outfitted 400ft upgradeable	340ft outfitted 400ft upgradeable	Min. - 30 feet Max. - 400 feet	Min. - 30 feet Max. - 400 feet	Min. - 30 feet Max. - 400 feet	Min. - 25 feet Max. - 380 feet	Min. - 25 feet Max. - 350 feet	Min. - 20 feet Max. - 350 feet	Min. - 16.7 feet Max. - 350 feet	Min. - 30 feet Max. - 400 feet	Min. - 30 feet Max. - 400 feet	Min. - 30 feet Max. - 400 feet	
LEG LENGTH	540' (incl. spud can)	540' (incl. spud can)	525'	444'	444'	573 ft	607 ft	607 ft	536 ft	491 ft	511 ft	477 ft	597 ft	568 ft	568 ft	
SPUD CAN DIA.	59.67'	59.67'	59.67'	46ft	46ft	57 ft	57 ft	57 ft	57 ft	56 ft	56 ft	46 ft	46 ft	66 ft	66 ft	
CANTILEVER REACH	80' x 32'	80' x 32'	80' x 32'	70ft x 30ft	70ft x 30ft	75 ft (85 ft w/ ext (upgradable to 100 ft w/ additional ext)) aft x 20 ft to port or stbd	75 ft (85 ft or 100 ft w/ ext) aft x 20 ft to port or stbd	85 ft (85 ft or 100 ft w/ ext) aft x 20 ft to port or stbd	80 ft aft x 15 ft to port or stbd	80 ft aft x 15 ft to port or stbd	70 ft aft x 15 ft to port or stbd	70 ft aft x 15 ft to port or stbd	75 ft aft x 20 ft to port or stbd (46 ft including secondary position)	75 ft aft x 20 ft to port or stbd (46 ft including secondary position)	75 ft aft x 20 ft to port or stbd (46 ft including secondary position)	
MAX VOL.	7,150 tons	7,150 tons	7,150 tons	6,639 kips	6,639 kips	13,056 kips	12,462 kips	12,252 kips	10,222 kips (including drilling loads)	9,513 kips	6,349 kips	6,491 kips	8,373 kips	8,373 kips	8,319 kips	
DRAWWORKS	NOV ADS-30Q 6,000 horsepower	NOV ADS-30Q 6,000 horsepower	NOV ADS-30Q 6,000 horsepower	NOV ADS-10T 3,450 Horsepower	NOV ADS-10T 3,450 Horsepower	National Oilwell, model 2040 UDDE 3,000 horsepower	National Oilwell, model 2040 UDDE 3,000 horsepower	National Oilwell, model 2040 UDDE 3,000 horsepower	LeWco LDW4500 3,000 horsepower	LeWco LDW4500 3,000 horsepower	LeWco LDW3000 HD 3,000 horsepower	LeWco LDW3000 HD 3,000 horsepower	NOV SSGD-850-4600 4,600 horsepower	NOV SSGD-850-4600 4,600 horsepower	TTS / UltraHolt 1050-6000 4,600 horsepower	
DERICK	NOV 210'	NOV 210'	NOV 210'	LCM Woolseyer	LCM Woolseyer	Woolseyer, Model 15263, Beam Leo	Woolseyer, Model 15263, Beam Leo	Woolseyer, Model 15263, Beam Leo	Loadmaster "Offset" Beam Leo	Loadmaster "Offset" Beam Leo	Loadmaster "Offset" Beam Leo	Loadmaster "Offset" Beam Leo	NOV 180'	NOV 180'	TTS 180'	
Static Hook Load	2,500,000 lbs	2,500,000 lbs	2,500,000 lbs	1,500,000 lbs	1,500,000 lbs	2,000,000 lbs	2,000,000 lbs	2,000,000 lbs	2,500,000 lbs	2,500,000 lbs	2,000,000 lbs	2,000,000 lbs	2,200,000 lbs	2,200,000 lbs	2,200,000 lbs	
TOP DRIVE	1250 ton NOV TDK-1250	1250 ton NOV TDK-1250	1250 ton NOV TDK-1250	750 ton NOV TDS-85A	750 ton NOV TDS-85A	750 ton LTI DTD17-750	1,000 ton NOV TDK	1,000 ton NOV TDK	750 ton LTI DTD17-750 V2	750 ton LTI DTD17-750 V2	750 ton LTI DTD17-750 V2	750 ton LTI DTD17-750 V2	1,000 ton NOV HPS-03	1,000 ton NOV HPS-03	1,000 ton TTS / 1100T	
ROTARY TABLE	NOV RST (60 1/2")	NOV RST (60 1/2")	NOV RST (60 1/2")	NOV D-495 (49 1/2")	NOV D-495 (49 1/2")	Continental Oilwell - D495 (49 1/2")	Continental Oilwell - D495 (49 1/2")	Continental Oilwell - D495 (49 1/2")	LeWco L-495 (49 1/2")	LeWco L-495 (49 1/2")	LeWco L-495 (49 1/2")	LeWco L-495 (49 1/2")	NOV RST (49 1/2")	NOV RST (49 1/2")	NOV RST (49 1/2")	
MUD PUMPS	3 ea NOV 14-P-220 HP AC	3 ea NOV 14-P-220 HP AC	3 ea NOV 14-P-220 HP AC	3 ea NOV 14-P-220hp AC	3 ea NOV 14-P-220hp AC	4 ea NOV 14-P-220, AC	4 ea Continental Oilwell FC-220	4 ea Continental Oilwell FC-220	3 ea LeWco W-3000, AC	3 ea LeWco W-3000, AC	3 ea LeWco W-2215, AC	3 ea LeWco W-2215, AC	3 ea NOV 14-P-220, AC	3 ea NOV 14-P-220, AC	3 ea NOV 14-P-220, AC	
SHALE SHAKERS	NOV Brandt VSM Multizer	NOV Brandt VSM Multizer	NOV Brandt VSM 300	NOV Brandt VSM 300	NOV Brandt VSM 300	Axiom AX-1	Axiom AX-1	Axiom AX-1	Axiom AX-1	Brandt King Cobra Plus	Derrick Dual Pool 600 series	Derrick Dual Pool 600 series	NOV Brandt VSM 300	NOV Brandt VSM 300	Axiom AX-1	
DESANDER/ DESILTER / MUD CLEANER	3 x 12" cones 24 x 4" cones	3 x 12" cones 24 x 4" cones	3 x 12" cones 24 x 4" cones	3 x 12" cones 24 x 4"	3 x 12" cones 24 x 4"	High Grade Triple Deck Shakers installed	High Grade Triple Deck Shakers installed	High Grade Triple Deck Shakers installed	High Grade Triple Deck Shakers installed	24 x 4"	N/A	20 x 4"	N/A	N/A	N/A	
LIQUID MUD CAPACITY	7,500 bbls	7,500 bbls	7,500 bbls	5,235 bbls	5,235 bbls	5,096 bbls	5,575 bbls	5,575 bbls	4,100 bbls	4,100 bbls	3,668 bbls	3,668 bbls	7,221 bbls	7,221 bbls	7,221 bbls	
BULK MUD CAPACITY	9,200 cu. ft.	9,200 cu. ft.	17,640 cu. ft.	7,000 cu. ft.	7,000 cu. ft.	11,220 cu. ft.	11,220 cu. ft.	11,220 cu. ft.	6,910 cu. ft.	6,910 cu. ft.	6,900 cu. ft.	6,900 cu. ft.	8,830 cu. ft.	8,830 cu. ft.	8,830 cu. ft.	
BULK CEMENT CAPACITY	8,400 cu. ft.	8,400 cu. ft.	17,640 cu. ft.	7,000 cu. ft.	7,000 cu. ft.	11,000 cu. ft.	11,220 cu. ft.	11,220 cu. ft.	6,910 cu. ft.	6,910 cu. ft.	6,900 cu. ft.	6,900 cu. ft.	7,064 cu. ft.	7,064 cu. ft.	7,064 cu. ft.	
DIVERTER	Cameron CF-B 49 1/2" / 1,000 psi	Cameron CF-B 49 1/2" / 1,000 psi	Vetco KFDJ 49 1/2" / 1,000 psi	Vetco KFDJ 1/2" RST 16" outlet	Vetco KFDJ 1/2" RST 16" outlet	Vetco Gray / KFDJ-500 Housing 47" / Assembly 27.5" 500 psi	Vetco Gray / KFDJ-500 Housing 47" / Assembly 27.5" 500 psi	Vetco Gray / KFDJ-500 Housing 47" / Assembly 27.5" 500 psi	GE / KFDJ Model "J" 500 psi	GE Annular Type 1,000 psi	GE / KFDJ Model "J" 500 psi	GE / KFDJ Model "J" 500 psi	Vetco Gray / KFDJ-500 Housing 47" / Assembly 27.5" 500 psi	Vetco Gray / KFDJ-500 Housing 47" / Assembly 27.5" 500 psi	Vetco Gray / KFDJ-500 Housing 47" / Assembly 27.5" 500 psi	
ANNUAL BOP LOW PRESSURE	N/A	N/A	N/A	TBP	TBP	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
LOW PRESSURE BOP STACK	N/A	N/A	N/A	TBP	TBP	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
ANNUAL BOP HIGH PRESSURE	HydriL GX 18 3/4" / 10,000 psi	GE-HydriL GX 18 3/4" / 10,000 psi & 13-5/8" / 5,000psi	NOV Shaffer 13 5/8" 10,000psi	Shaffer 18 3/4" 10,000psi	Shaffer 18 3/4" 10,000psi	HydriL GX 13 5/8" 10,000 psi	HydriL GX 18 3/4" 10,000psi	HydriL GX 18 3/4" 10,000psi	Cameron DL 18 3/4" 10,000psi	HydriL GX 18 3/4" 10,000psi	HydriL GX 18 3/4" 10,000psi	HydriL GX 18 3/4" 10,000psi	Shaffer Spherical SBOP 13 5/8" 5,000 psi	Shaffer Spherical SBOP 18 3/4" 10,000psi	Shaffer Spherical SBOP 18 3/4" 10,000psi	
HIGH PRESSURE BOP STACK	Shaffer NXT 18 3/4" / 15,000 psi	Shaffer & Cameron 18 3/4" / 10,000 psi & 13-5/8" / 5,000psi	Shaffer & Cameron 2 x 13 5/8" 10,000psi	Shaffer & Cameron 2 x 13 5/8" 10,000psi	Shaffer & Cameron 2 x 13 5/8" 10,000psi	Cameron Type U 13 5/8" 15,000 psi	2 x Cameron Type "TL" Double Ram BOP 18 3/4" / 15,000 psi	2 x Cameron Type "TL" Double Ram BOP 18 3/4" / 15,000 psi	2 x Cameron Type "TL" Double Ram BOP 18 3/4" / 15,000 psi	2 x Cameron Type "TL" Double Ram BOP 18 3/4" / 15,000 psi	2 x Cameron Type "TL" Double Ram BOP 18 3/4" / 15,000 psi	2 x Cameron Type "TL" Double Ram BOP 18 3/4" / 15,000 psi	1 x Cameron Type "U" Double Ram BOP & 1 x Cameron Type "U" Single Ram BOP 13 5/8" / 10,000 psi	Shaffer NXT 18 3/4" / 15,000 psi	Shaffer NXT 18 3/4" / 15,000 psi	Shaffer NXT 18 3/4" / 15,000 psi
MAIN ENGINE	6 ea 2,150 HP Caterpillar 3516CHD Total HP 12,900	6 ea 2,150 HP Caterpillar 3516CHD Total HP 12,900	6 ea 2,150 HP Caterpillar 3516CHD Total HP 12,900	5 x 2,150 KW Caterpillar 3516CHD Total 10,750 KW	5 x 2,150 KW Caterpillar 3516CHD Total 10,750 KW	5 ea x 3,395 HP Caterpillar 3608 Total HP 16,975	5 ea x 3,395 HP Caterpillar 3608 Total HP 16,975	5 ea x 3,395 HP Caterpillar 3608 Total HP 16,975	6 ea Kato 6P6-6-3200HR 6 ea Kato 6P6-6-3200HR Total HP 12,900	6 ea Kato 6P6-6-3200HR 6 ea Kato 6P6-6-3200HR Total HP 12,900	6 ea Kato 6P6-6-3200HR 6 ea Kato 6P6-6-3200HR Total HP 12,900	6 ea Kato 6P6-6-3200HR 6 ea Kato 6P6-6-3200HR Total HP 12,900	6 ea Kato 6P6-6-3200HR 6 ea Kato 6P6-6-3200HR Total HP 13,460	6 ea Kato 6P6-6-3200HR 6 ea Kato 6P6-6-3200HR Total HP 13,460	6 ea Kato 6P6-6-3200HR 6 ea Kato 6P6-6-3200HR Total HP 13,460	
MAIN GENERATORS	6 ea 1,720 kW TSL Caterpillar	6 ea 1,720 kW TSL Caterpillar	6 ea 1,720 kW TSL Caterpillar	5 ea Kato 6P6-6-3200HR 1,596 kW	5 ea Kato 6P6-6-3200HR 1,596 kW	5 ea Kato 6P10-4400 2,400 kW	5 ea Kato 6P10-4400 2,400 kW	5 ea Kato 6P10-4400 2,400 kW	6 ea Kato 6P6-6-3200HR 1,525 kW	6 ea Kato 6P6-6-3200HR 1,525 kW	6 ea Kato 6P6-6-3200HR 1,525 kW	6 ea Kato 6P6-6-3200HR 1,525 kW	4 ea Leroy Somer LSA50L5-SP 2,400 kW	4 ea Leroy Somer LSA50L5-SP 2,400 kW	4 ea Leroy Somer LSA50L5-SP 2,400 kW	
CRANES	3 ea Seatrax 72 1 ea NOV KMVCCT 1891 pipehandling knuckleboom crane	3 ea Seatrax 72 1 ea NOV KMVCCT 1891 pipehandling knuckleboom crane	3 ea Seatrax 72 1 ea NOV KMVCCT 1891 pipehandling knuckleboom crane	3 1 x 140 ft boom x 75 sT	3 1 x 140 ft boom x 75 sT	1 ea LeTourneau PCM 120SS 4 x 124 ft boom 1 x 100 ft boom	1 ea LeTourneau PCM 120SS 4 x 124 ft boom 1 x 100 ft boom	1 ea LeTourneau PCM 120SS 4 x 124 ft boom 1 x 100 ft boom	3 ea LeTourneau PCM220SS 2 x 140 ft boom	3 ea LeTourneau PCM220SS 2 x 140 ft boom	2 ea LeTourneau PCM220SS & 2 ea LeTourneau PCM120SS 2 x 140 ft boom	2 ea LeTourneau PCM220SS & 2 ea LeTourneau PCM120SS 2 x 140 ft boom	3 ea Liebherr BOS 2600- 50 D Lit 3 x 150 boom	3 ea Liebherr BOS 2600- 50 D Lit 3 x 150 boom	3 ea Liebherr BOS 2600- 50 D Lit 3 x 150 boom	
ACCOMMODATION	150 Persons	150 Persons	150 Persons	140 Persons	140 Persons	140 Persons	120 Persons	120 Persons	120 Persons	108 Persons	120 Persons	120 Persons	120 Persons	120 Persons	120 Persons	
HELIDECK CAPACITY	S-61 / S-92	S-61 / S-92	S-61 / S-92	S-61 / S-92	S-61 / S-92	EH101 / S-61	EH101 / S-61	EH101 / S-61	S-61 / S-92	S-61 / S-92	S-61N	S-61N	S-61 / S-92	S-61 / S-92	S-61 / S-92	
HELIDECK SIZE	73 feet	73 feet	73 feet	22.8 m	22.8 m	95 ft x 90 ft	95 ft x 90 ft	95 ft x 90 ft	73 ft across flats	73 ft across flats	73 ft across flats	73 ft across flats	73 ft across flats	73 ft across flats	73 ft across flats	
WINDCHES	4 x 45 mt each	4 x 45 mt each	4 x 45 mt each	TBP	TBP	4 x 50 ton ea	4 x 50 ton ea	4 x 50 ton ea	N/A	N/A	N/A	N/A	4 x 22 ton ea	4 x 22 ton ea	4 x 22 ton ea	
DRILL PIPE	5 1/2" DP S-135 GPDSS5 5" DP S-135 GPDSS0 3.5" DP S-135 GPDSS3	3 1/2" S-135 GPDSS38 5" S-135 GPDSS0 5 1/2" S-135 GPDSS5	To be supplied	20,000t x 5 1/2" 5,000t x 4"	20,000t x 5 1/2" 5,000t x 4"	5" S-135 NCS0	4" S-135 XTS9 5 1/2" S-135 TSDS-55	5 1/2" S-135 5 1/2 FH	5 1/2" S-135 SSSD	5" S-135 NCS0	5" S-135 NCS0	5" S-135 NCS0	5" S-135 NCS0	5" S-135 NCS0	5 1/2" S-135 5 1/2 FH	
PREVIOUS NAMES	N/A	N/A	To be supplied	N/A - Newbuild	N/A - Newbuild	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
ENSCO ROWAN BUSINESS UNIT (CURRENTLY OPERATING)	EUM	EUM	MEAAP, shipyard construction	MEAAP	MEAAP	EUM	EUM	EUM	NSA	NSA	NSA	NSA	EUM	EUM	EUM	